



MAXRON

Smart Cleaning Pvt. Ltd.



**Delivering Smart Cleaning Solutions for
Every Industry.**

Maxron Smart Cleaning Private Limited
Tirupati Balaji Trading
www.maxronindia.in



MV-15



MV-30



MV-60-2M



MV-80-3M



STANDARD ACCESSORIES

Model	No. of Motors	Max. Power Watts	Supply V / Hz	Air Flow M ³ / Hr	Suction mm H2O	Suction m/bar	Tank Capacity Ltrs	Tank
MV-15	1	1000	230 / 50	200	2550	210	15	Stainless steel
MV-30	1	1000	230 / 50	200	2550	230	30	Stainless steel
MV-60-2M	2	2000	230 / 50	400	2550	250	60	Stainless steel
MV-80M-3M	3	3000	230 / 50	400	2550	280	80	Stainless steel

UPHOLSTERY DRY CLEANING MACHINES



TC-20



TC-20F




TC-40



TC-40F



TC-730



Model	No. of Motors	Max. Power Watts	Spray Pump Watts	Air Flow M ³ / Hr	Suction M/bar	Solution Tank Ltrs	Collection Tank Ltrs	Scrubbing System
TC-20	Spray-1, Vacuum-1	1034	34	190	230	10	20	Manual
TC-20F	Spray-1, Vacuum-1, Brush-1	1080	80	190	230	10	20	Motorized Brush
TC-40	Spray-1, Vacuum-1	1034	34	200	250	20	40	Manual
TC-40F	Spray-1, Vacuum-1, Brush-1	1080	80	200	250	20	40	Motorized Brush
TC-730	Spray-1, Vacuum-1, Brush-1	1150	50	250	280	16	12	Motorized Brush



MSD -750



MSD -1100



MSD -1500




MSD -1800



STANDARD ACCESSORIES

APPLICATION FLOOR



Epoxy Resin



PVC



Marble



Cement Floor



Wood Floor

Model		MSD-750	MSD-1100	MSD-1500	MSD-1800
Brush Speed	rpm	180	154	165	175
Motor Power	Hp	1	1.5	2	2.5
Brush Size.	Inch	13	17	17	17
Cable length	Mtr	10	12	15	15
Solution Tank	Ltrs.	10	12.5	12.5	12.5
Weight	Kg.	29	58	62	78

POLISHING HIGH SPEED BURNISHER MACHINE



FOAM GENERATOR



HAND SCRUBER



Model	MD-1500	Burnisher Machine
Motor Power	W	1500
Supply	V/Hz	220-240/50
Rotation speed	rpm	1500
Base Dia	Inch	20
Net Weight	kg	55
Noise level	Dba	54

Model		MFG-9
Max. Power	W	80
Supply	V / Hz	220-240/50
Tank Capacity	Ltr.	08
Net Weight	Kg	08
Dimension	LxWxH	30 x 26 x 53

Model	MHS-600	Hand Scruber
Motor Power	W	1200
Supply	V/Hz	220-240/50
Rotation speed	rpm	600-2800
Disc Dia	mm	180
Net Weight	kg	3
Brush Dia	mm	180

WALK BEHIND AUTOMATIC SCRUBBER DRIERS

SCRUBBER DRIER MACHINE MX-35

Technical Data

Voltage Frequency	230v/50Hz
Squeegee Width	755 mm
Brush Diameter	455 mm
Rolling Brush Motor	1100 W
Water Sucking Motor	1000 W
Brush Rotation Speed	180 RPM / MIN
Cleaning Width	455 MM
Cleaning Rate	1700 sqmtr /Hr
Brush Pressure	40 Kg
Clean Water Tank	30 L
Dirty Water Tank	35 L
Cable Length	18 M
Net Weight	78 Kg
Gross Weight	96 Kg
Dimensions	965x615x1020 mm
Color	Blue /Grey



SCRUBBER DRIER MACHINE MX-50C | MX-50B

Technical Data



Category	MX-50 Cable	MX-50 Battery
Voltage Frequency	230v/50Hz	24v/100AH
Squeegee Width	850 mm	850 mm
Brush Diameter	520 mm	520 mm
Rolling Brush Motor	900 W	900 W
Water Sucking Motor	720 W	720 W
Brush Rotation Speed	160 RPM / MIN	160 RPM / MIN
Cleaning Width	520 MM	520 MM
Cleaning Rate	2200 sqmtr /Hr	2600 sqmtr /Hr
Brush Pressure	45 Kg	45 Kg
Clean Water Tank	50 L	50 L
Dirty Water Tank	55 L	55 L
Cable Length	18 M	N/A
Net Weight	120Kg	135Kg
Gross Weight	135Kg	170Kg
Battery	N/A	24v/100AH
Dimensions	1400x850x1050 mm	1400x850x1050 mm
Color	Blue / Grey/Orange	Blue / Grey/Orange

WALK BEHIND AUTOMATIC SCRUBBER DRIERS

SCRUBBER DRIER MACHINE MX-65C | MX-65B

Technical Data

Category	MX-65C Cable	MX-65B Battery
Voltage Frequency	230v/50Hz	24v/100AH
Squeegee Width	900 mm	900 mm
Brush Diameter	600 mm	600 mm
Rolling Brush Motor	950 W	800 W
Water Sucking Motor	800 W	500 W
Brush Rotation Speed	180 RPM / MIN	180 RPM / MIN
Cleaning Width	600 MM	600 MM
Cleaning Rate	2600 sqmtr /Hr	3000 sqmtr /Hr
Brush Pressure	45 Kg	45 Kg
Clean Water Tank	65 L	65 L
Dirty Water Tank	75 L	75 L
Cable Length	18 M	N/A
Net Weight	120Kg	135Kg
Gross Weight	175Kg	170Kg
Battery	N/A	24v/100AH
Dimensions	1400x850x1050 mm	1400x850x1050 mm
Color	Blue / Grey/Orange	Blue / Grey/Orange



Wide Application

Application Scenario



Workshop



Shopping Mall



Hotel



Garage



Hospital


Application Ground



Epoxy resin



PVC



Marble



Cement floor



Wood floor

Maxron MX-65C / MX-65B Floor Scrubber is a hand-push type cleaning machine designed for high efficiency and reliable performance. It features an intelligent battery charging system with automatic overcharge protection, ensuring safe operation and extended battery life. Engineered by Maxron Smart Cleaning Pvt. Ltd., the machine delivers low noise, stable performance, and superior cleaning results, capable of cleaning up to 3,000 square meters per hour for maximum productivity. Despite its compact design, it comes with a large-capacity water tank, minimizing the need for frequent refills compared to traditional small scrubbers. Maxron MX-65 series integrates three functions—scrubbing, washing, and drying—into one efficient system. Its advanced multi-stage filtration ensures that dust and fine particles are effectively captured and directed into the recovery tank, leaving surfaces spotlessly clean and dry after every use.

RIDE ON SCRUBBER DRIERS M-90

Technical Data

Items	M-90
Cleaning Width	520 mm
Squeegee Width	830 mm
Brush Size	520 mm
Working Efficiency	0-3640 m2/h
Working Time	3-4 H
Clean Water Tank	85L
Sewage Tank	90L
Forward Speed	0-6km
Weight Dimensions (LxWxH)	1460x830x1110
Battery Capacity	24v/200AH
Traction Motor	24v/500w
Brush Motor	24v/500w
Vacuum Motor	24v/500w
Cleaning Pump Motor	24v/120w
Minimum Turning Radius	220mm
Weight	215 kg
Color	Blue / Grey/Orange



RIDE ON SCRUBBER DRIERS M-100

Technical Data

Items	M-100
Cleaning Width	700 mm
Squeegee Width	1050 mm
Brush Size	350*2 mm
Working Efficiency	0-4500 m2/h
Working Time	3-4 H
Clean Water Tank	90L
Sewage Tank	100L
Forward Speed	0-6km
Weight Dimensions (LxWxH)	1460x830x1110
Battery Capacity	24v/200AH
Traction Motor	24v/500w
Brush Motor	24v/500w
Vacuum Motor	24v/500w
Cleaning Pump Motor	24v/120w
Minimum Turning Radius	220mm
Weight	250kg
Color	Blue / Grey/Orange



RIDE ON SCRUBBER DRIERS M-120

Technical Data

Items	M-120
Cleaning Width	760 mm
Squeegee Width	1130 mm
Brush Size	380*2 mm
Working Efficiency	0-5350 m2/h
Working Time	3-4 H
Clean Water Tank	110L
Sewage Tank	120L
Forward Speed	0-6km
Weight Dimensions (LxWxH)	1630x1130x1280
Battery Capacity	24v/320AH
Traction Motor	24v/500w
Brush Motor	24v/2*380w
Vacuum Motor	24v/500w
Cleaning Pump Motor	24v/120w
Minimum Turning Radius	250mm
Weight	265 kg
Color	Blue / Grey/Orange



RIDE ON SCRUBBER DRIERS M-160

Technical Data

Items	M-160
Cleaning Width	900mm
Squeegee Width	1250mm
Brush Size	450*2mm
Working Efficiency	0-8100 m2/h
Working Time	4-5 H
Clean Water Tank	150L
Sewage Tank	160L
Forward Speed	0-9km
Weight Dimensions (LxWxH)	1660x1250x1380
Battery Capacity	24v/320AH
Traction Motor	24v/1220w
Brush Motor	24v/2*550w
Vacuum Motor	24v/600w
Cleaning Pump Motor	24v/120w
Minimum Turning Radius	270mm
Weight	370/540 kg
Color	Blue / Grey/Orange



RIDE ON SCRUBBER DRIERS M-260

Technical Data

Items	M-260
Cleaning Width	1000 mm
Squeegee Width	1350 mm
Brush Size	500*2 mm
Working Efficiency	0-10500 m ² /h
Working Time	4-5 H
Clean Water Tank	240L
Sewage Tank	260L
Forward Speed	0-9km
Weight Dimensions (LxWxH)	1850x1350x1500
Battery Capacity	48v/150AH
Traction Motor	48v/1800w
Brush Motor	48v/2*750w
Vacuum Motor	48v/2*500w
Cleaning Pump Motor	48v/120w
Minimum Turning Radius	410mm
Weight	500/650kg
Color	Blue / Grey/Orange



APPLICABLE TO MULTIPLE OF SCENARIOS

APPLICATION SCENARIOS



AIRPORT

HOTEL

STATION

WAREHOUSE

SUPERMARKET

BASKETBALL COURT

APPLICATION GROUND



EPOXY

PVC

MARBLE

WOOD

RUBBER

PRODUCT DETAILS

Detailed display

SHOCK-ABSORBING SEAT



The engineering seat come from famous brand company that the seat is comfortable for driver long time seating based on the ergonomic half-wrapped design



MORE POWERFUL BRUSH MOTOR

Using 750w motor for brush and 20 inch diameter brush cleaning width reach 1000mm,improved productivity rate



DUAL SUCTION MOTOR

Double motors provide much more powerful suction that makes cleaning results much more better



SOLUTION TANK FILTER

The solution tank filter use stainless 304 steel,enlarged filter net,PU transparent cover It is convenient for cleaning and washing

RIDE ON FLOOR SCRUBBER SWEEPER

MRS 350



MAIN FUNCTIONS AND SPECIFICATIONS

- With the battery power cleaning technology, you can remove large and small fragments in one pass.
- The cleaning time is extended through the maximum battery power supply capacity of the same level.
- Easily repair all rubber brushes, brushes and filters without tools, which will help shorten the maintenance time.
- Equipped with excellent two-stage dust control system and use zero-emission battery power supply, which is conducive to maintaining indoor air quality.
- Through a unique rear -proof water port, it provides a uniform adsorption effect to achieve excellent water absorption effect, leaving a clean path.



Widened brush



Comfortable seat



Water gun

PRODUCT PARAMETERS

Cleaning width 1060mm	Working hours 5~6h	Cleaning efficiency 13690m²/h	Battery capacity 72V/200Ah
Major brush width 800mm	Brush motor 500W*3	Clean water tank 330L	Dirty water tank 355L
Squeegee width 1450mm	Suction motor 650W*2	Both sides brush 500mm*2	Max gradient 30°
Pump motor 300W	Machine weight 1515kg	Product size 2850*1500*1580mm	

FLOOR SWEEPER XS90

LARGE CAPACITY DOUBLE
WATER TANK



Centralized panel



Non-slip bottom

MAJOR BRUSH
WIDTH ➔ **800mm**

CLEANING
WIDTH ➔ **1060mm**



Battery



Charger



Brush



Roll Brush



Filter

■ HAN D PUSH
FLOOR SWEEPER
MSW- 55



■ HAN D PUSH
FLOOR SWEEPER
MSW- 60



MAIN FUNCTIONS AND SPECIFICATIONS

Operation Principle: The power of the product comes from handpushing. The tire rotation drives the belt to passes it to the inner "roll brush" and the two front "side brushes" to rotate, so that the garbage can be collected into the inner dustbin.

- Made of high quality PPT plastic for better cleaning.
- High-quality engineering plastic trash can with sunroof-style exhaust vents and dust filtration.
- Rubber strip closure reduces dust leakage.
- Adjust the height of main brush according to different usage environments to extend the service life of the main brush.



58L Oversized trash can



Main brush



Main brush positioner

TECHNICAL DATA

Forward speed 0-6km/h	Cleaning width 1000mm	Main brush width 500mm	Side brush width 250mm
---------------------------------	---------------------------------	----------------------------------	----------------------------------

Dustbin 55L	Net/Gross weight 27.5/29kg	Dimensions 1000*1300*1035mm
-----------------------	--------------------------------------	---------------------------------------

Maximum work productivity
1800m²/h

MAIN FUNCTIONS AND SPECIFICATIONS

Battery powered sweeper is a highly efficient solution for cleaning both indoor and outdoor hard surfaces. With battery-operated main broom, side brush, and dust fan, this sweeper offers enhanced working comfort.

- 1050mm cleaning width to improve working efficiency.
- It can adjust the water volume and effectively deal with various working environments.
- Simple operation panel, easy operation, customizable button icon.
- 35L garbage tank, avoid frequent dumping to improve work efficiency.



Optional water spray device



OEM control panel



large capacity dustbin

TECHNICAL DATA

Working width 1050mm	Working capacity 5000m²/h	Main brush length 440mm	Main brush diameter 200mm
--------------------------------	--	-----------------------------------	-------------------------------------

Side brush diameter 450mm	Water tank 40L	Garbage tank 60L	Side brush power 65W
-------------------------------------	--------------------------	----------------------------	--------------------------------

Main brush power 200W	Suction power 50W	Batteries 48/100X2	Working voltage 48VDC
---------------------------------	-----------------------------	------------------------------	---------------------------------

Charging voltage 220VAC	Machine weight 88kg	Machine size 108*105*108cm
-----------------------------------	-------------------------------	--------------------------------------

■ RIDE ON
FLOOR SWEEPER
MSW- 1100



■ RIDE ON
FLOOR SWEEPER
MSW- 1400



MAIN FUNCTIONS AND SPECIFICATIONS

- The chassis design, turning radius is small, which can be operated even in the narrow range.
- High power drive motor, climbing ability is more powerful.
- Simple operation desk, with the lighting controller, can also drive in a low light environment.
- FRP shell, resistance, heat resistance, low temperature resistance.
- Silent fan: Using a mute fan, noise reduction rare earth main brush motor, work noise is not higher than 65DBA.

S1 No roof



S1P With a roof



TECHNICAL DATA

Cleaning width 1300mm	Working hours 3-4h	Cleaning efficiency 9800m²/h	Battery capacity 48V/150Ah
---------------------------------	------------------------------	---	--------------------------------------

Both sides brush 500mm*2	Brush motor 90W*2	Water tank 70L	Trash bin capacity 90L
------------------------------------	-----------------------------	--------------------------	----------------------------------

Roll Brush 500mm	Suction motor 216W	S1 Product size 1320*1000*1300mm
----------------------------	------------------------------	--

Machine Weight 363kg	Roll Brush Motor 700W	S1P Product size 1320*1000*1900mm
--------------------------------	---------------------------------	---

MAIN FUNCTIONS AND SPECIFICATIONS

- The rolling brush system can adapt to the cleaning of various roads.
- Large -capacity battery packs can more effectively increase working time and reduce the cost.
- The solid tires increase the considerableness of the sweeper and ensure the safety of the driver.
- 1500 mm wide working surface, which greatly improves the efficiency of work and shortened the working time.
- The hydraulic braking system is adopted to ensure the braking distance and improve the safety of the driver.

S3 No roof



S3P With a roof



TECHNICAL DATA

Cleaning width 1500mm	Working hours 4-5h	Cleaning efficiency 12500m²/h	Battery capacity 48V/200Ah
---------------------------------	------------------------------	--	--------------------------------------

Both sides brush 500mm*2	Brush motor 90W*2	Water tank 100L	Trash bin capacity 150L
------------------------------------	-----------------------------	---------------------------	-----------------------------------

Roll Brush 690mm	Suction motor 216W	S3 Product size 1700*1200*1350mm
----------------------------	------------------------------	--

Machine Weight 490kg	Roll Brush Motor 1000W	S3P Product size 1700*1200*2050mm
--------------------------------	----------------------------------	---

**RIDE ON
FLOOR SWEEPER**

MSW- 1600



**RIDE ON
FLOOR SWEEPER**

MSW- 2200



MAIN FUNCTIONS AND SPECIFICATIONS

- Large -capacity battery packs can more effectively increase working time and reduce the cost.
- The solid tires increase the considerableness of the sweeper and ensure the safety of the driver.
- 1550mm wide working surface, which greatly improves the efficiency of work and shortened the working time.
- The hydraulic braking system is adopted to ensure the braking distance and improve the safety of the driver.
- Pushing motor device can raise the body for 5cm, which effectively prevent brushing hair wear deformation when not working.

S5 No roof



S5P With a roof



TECHNICAL DATA

Cleaning width	Working hours	Cleaning efficiency	Battery capacity
1500mm	4-5h	16000m²/h	48V/250Ah
Both sides brush	Brush motor	Water tank	Trash bin capacity
500mm*2	90W*2	150L	200L
Roll Brush	Suction motor	S1 Product size	
660mm	216W	2100mm*1900mm*1950mm	
Machine Weight	Roll Brush Motor	S1P Product size	
520kg	700W	1320*1000*1900mm	

MAIN FUNCTIONS AND SPECIFICATIONS

- Four side brushes, the width of the sweeping floor is 2200mm, which improves the efficiency.
- Rust -proof processing process, the shell is made of metal, and durable.
- Rear -view mirror with reversing, LED warning light.
- 240L garbage tanks , high cleaning efficiency.
- The structure of the whole steel welding body is solid and durable, and the cockpit is wide and comfortable.



Widen brush



Drive motor



Warning light

PRODUCT PARAMETERS

Cleaning width	Working hours	Cleaning efficiency	Battery capacity
2200mm	5-6h	33000m²/h	48V/200Ah
Both sides brush	Brush motor	Water tank	Trash bin capacity
600mm*4	200W*4	300L	240L
Roll Brush	Suction motor	Roll Brush Motor	Drive motor
790mm	500W*2	800W*2	3800W
Machine Weight	Product size		
1600kg	3302*2100*2107mm		

**RIDE-ON
FLOOR SWEEPER**

MRS- 1575



CITY SWEEPER

MSW- 1600



Technical Data

Items	MRS-1575
Length with side broom	2640 mm
Width with one side broom	1580 mm
Height (up to canopy)	2320 mm
Height (up to A/C canopy)	2555mm
Dead weight	1865kg
Sweeping width (one side broom)	1650L
Theoretical sweeping perform(one side broom)	17,325 m ² /h
Sweeping width (two side brooms)	2000mm
Theoretical sweeping perform (two side brooms)	21,000 m ² /h
Gradability	20%
Filter surface	12 m ²
Main broom length / diameter	1250mm/360mm
Side broom diameter	660mm
Hopper volume	640L
Dump height	1400mm
Engine type	Diesel/ Battrry
Cubic capacity	1500cc
Rated power	26.5kw

Technical Data

Items	MRS-1600
Track Width	1290 mm
Wheel base	2120 mm
Ground Clearance	180 mm
Weight	1950 mm
Driving Speed	0-28 Km
Work Speed	6 km
Minimum Turning Radius	4 m
Front Brush Diameter	750 mm
Medium Brush Diameter	500 mm
Maximum Climbing Gradient	15%
Working Hours	7-8 H
Full Load Working Hours	0-4 H
Water Tank Capacity	900L
Dustbin Capacity	1600L
Working Width	2350 mm clean-1150 mm
Battery	72v/300Ah Lithium Battrry (Optional)
Electric Machinery	72v/300w AC Motor
Dimensions	4700x1440x2160 mm

ROAD SWEEPER **MTM-6000**



ROAD SWEEPER(EV) **MVM- 6000**



Technical Data

Items	MTM-6000
Power Source	100 BHP Diesel Engine
Energy Type	Diesel
Sweeping Width	Up to 2850 mm
Capacity/hr	Up to 30,000 Sq.MT
Hopper Volume	6 CU MT
Water Tank	1100 L
Sweeping Speed	1-10 Km/h
Driving Speed	Max 60 Km/h
Range	Long (refuel anytime)
Chassis	Mild Steel, Truck Mounted
Brush System	1 Roller + 2 Rotary (Hydraulic)
Vacuum Fan	High-efficiency, V-belt
Hydraulics	60L Tank, Engine Powered
Noise	Low (insulated)
Maintenance	High
Run Time	Continuous with fuel
Eco-Friendly	CO ₂ , NOx Emissions
Refuel/Charge Time	Fast Diesel Fill

Technical Data

Items	MVM-6000
Power Source	72V 11KW Motor, 61 KWh Battery
Energy Type	Electric (220V AC)
Sweeping Width	2000 mm
Capacity/hr	Moderate
Hopper Volume	5 CU MT
Water Tank	1100 L
Sweeping Speed	3-12 Km/h
Driving Speed	Max 45 Km/h
Range	100-120 Km, ~200 Km idle
Chassis	Heavy-duty, Anti-rust Coating
Brush System	2 Side Brushes (750 mm, 400W motors)
Vacuum Fan	5.5 KW, 50 mm suction
Hydraulics	Likely Electric
Noise	Very Low
Cap Features	AC, Touchscreen, Leather Seats, Camera
Run Time	10-12 hrs
Eco-Friendly	Zero Emissions
Refuel/Charge Time	5-6 hrs

GARBAGE TIPPERS

GARBAGE TIPPERS

MGT-12



RIDE ON MOPPING SCOOTER

MS-900



Technical Data

Items	MGT-12
Capacity	1.2/2/4m ²
Bottom	14 GMS Sheet
Side/Top	16 GMS Sheet
Door	18 GMS Sheet
Tailgate	Hinged Type With Locking Arrangement

Features

- One system can easily handle lifting, shifting and dumping 10/12 containers during working hours.
- It facilities in safe and hygienic collection, storage and large volume of garbage transportation with fast operation.
- These vehicles have four openings, two on each side, to facilitate direct transfer of waste from a domestic bin/collection bag into the vehicle.
- These vehicles also have a removable partition to facilitate the storage of bio-medical waste.

Technical Data

Items	MVM-6000
POWER.	500 W
POWER SUPPLY.	24/36/48 DC
GROUND CLEARANCE.	50 MM
CLIMBING ABILITY.	20 D
CLEANING WIDTH.	900 MM
WORKING TRIP.	50 KM
WEIGHT.	90 KG
SIZE.	1750x 910 x 1080 MM

Features

Ride-On Mopping Scooter is an advanced cleaning machine designed for fast, effortless, and efficient floor maintenance. It allows the operator to ride comfortably while mopping large areas, saving time and reducing fatigue.

Key Features:

- High Productivity: Cleans large areas quickly with consistent performance.
- User Comfort: Ergonomic ride-on design for smooth and easy operation.
- Efficient Cleaning: Ensures thorough mopping with even water distribution.
- Low Maintenance: Durable body and reliable components for long-term use.
- Ideal For: Malls, hospitals, airports, hotels, factories, and commercial complexes.

A perfect combination of speed, comfort, and cleanliness, making daily floor maintenance highly efficient.

STEAM CLEANERS


MSC -1

MSC-2

HIGH PRESSURE JET CLEANERS


M-JET-150

M-JET -180

M-JET - 250

Technical Data	Units	MSC 1	MSC 2
Boiler Volume	Ltr.	2.4	4.6
Water Tank	Ltr.	1.5	5
Operating Pressure	Bar	4	9
Steam Production	g/min	80	77
Steam Temperature	°C	143	175
Maximum Output	Watts	2300	3300
Hose Length	Mtr	2.8	10
Detergent Tank Capacity	Ltr.	-	5
Weight	kg.	12	31

Technical Data	Units	M-JE -150	M-JET -180	M-JET - 250
Maximum Pressure	bar	130-150	150-180	200-250
Water Flow Rate	Ltr/Hr	510	720	900
Power	Watts	2800	3200	5500
Power Supply	V/Hz	230 / 50	230 / 50	440 / 50
Weight	Kg	23.5	42	78
Rpm	-	2800	1650	1850
Hose Length	Mtr	10	10	10
Dimensions cm	LxWxH	35 x 38 x 90	72 x 45 x 90	75 x 45 x 90

INDUSTRIAL VACUUM CLEANERS


MV -50

MV -100

ESCALATOR CLEANER


MS -450

MS -510

Technical Data	Units	MV -50	MV -100
Supply Source	Volts/ Hz	220V	Battery
Motor Power	Watts	2200W	1800w
Air Flow	Mtr ³ /Hr	320	305
Suction	KPA	22 Kpa	16 Kpa
Tank Capacity	Ltrs	50L	100L
Noise level	DBA	65Dba	69 Dba
Weight	Kg	90kg	85 Kg
Suction Port Diameter	mm	40mm	40mm
Shell Material	-	Stainless Steel	Stainless Steel

Technical Data	Units	MS -450	MS -510
Voltage	V/Hz	220-250	220-250
Power	Watts	1180	2100
Operating Width	mm	450	510
Dry Motor	Watts	1000	-
Roll Brush Motor	Watts	180	-
Capacity	Ltrs	20	32/35
Weight	Kg.	34	130kg


AUTOMATIC CARPET CLEANING MACHINE

Technical Data

Model No.	TCE -30
Voltage/frequency	220V/50Hz
Power	2320W
Roll brush speed	1400rpm/min
Roll brush motor	220V/180W
Roll brush width	400mm
Water sucking motor	220V/1000W
Water sucker	460mm
Clean water tank capacity	30L
Dirty water tank capacity	35L
Cable	18M
Net weight	46.2KG
Gross weight	65KG
Size	1110 X 550 X 1050 MM




Three in One



Spraying
water




Washing



Absorbing
water



Rolling Brush



Water Sucker



Sweage Equips with
Full Water Device



Imported Suction
Motor X 2

Backpack Vacuum Cleaner - MV-8

Technical Data

Items	MV-8
Power Sour	Corded electric
Wattage	1000w
Motor	1.5 hp
Control Type	Push Button
Control Method	Touch



I Mop Scrubber Dryer - MI-10


Technical Data

Items	MI-10
Power (W)	650W
Pump Power	20W
Voltage	DC 24 V
Cleaning Efficiency	1750 sq.m. per hour
Working / Cleaning Width	250mm * 2
Solution Tank Capacity	5.1L
Recovery Tank Capacity	4L
Brush Speed	350 RPM
Work Time	90 minutes
Weight	29 kg

**The machine can be adjusted in multiple angles
Flexible handle Operate freely**



**About 170 degrees before
and after adjustment**



**About 160 degrees left
and right adjustment**

MANUAL CLEANING TOOLS

HOUSEKEEPING UTILITIES



Kentucky Wet Mops

Flat Mops Dry

Dust Pan With Broom

Caution Sign Boards

Paper Towel / Tissue Dispensers

Liquid Soap & Foam Soap

WINDOW GLASS CLEANING SYSTEMS



Window Cleaning Kit

SS Window Squeegee

Cobweb Round Brush

Cobweb Curved Brush

Window Washer With Micro Fibre

COMBI-Window Squeegee & Washer

Telescopic Poles 6/9/11 Mtrs.

CLEANING CHEMICALS AND DETERGENTS



R1

R2

R3

R4

R5

R6

R7

R9

Suma Multi

Suma Grill

Spiral

TR 101

TR 103

Suma Scale

Terranova

Nobile Plus

MOP WRINGER TROLLEYS



Janitor Trolley


Double bucket Trolley With Tray

Double bucket Trolley 30 Ltr. / 50 Ltr.

Single bucket Trolley With Partition 30 Ltr.

Cone Wringer Trolley 15 Ltr.

Plastic Caddy



Maxron Smart Cleaning Private Limited
Tirupati Balaji Trading

Corporate Office, 1221, 12th Floor, Tower B,
Sector- 90, Bhutani Alphathum, Noida
Uttar Pradesh 201304

Email: info@maxronindia.in
www.maxronindia.in
+91-7564962685

Follow us-@maxronindia

